

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((("6466972") or ("7395324")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 11:27
S2	58417	boot\$3.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 11:31
S3	2374	boot and interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 11:31
S4	18	(boot\$3 and interpreter).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 11:32
S5	2	("20030236971").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/28 11:38
S6	5	preboot near3 interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 12:20
S7	10	"pre-boot" near3 interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 13:42
S8	13	abstract with (boot) with (specification or instruction or parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:11
S9	0	S8 and interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:12

S10	37	generic with (boot) with (specification or instruction or parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:14
S11	2	S10 and interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:14
S12	347	abstract with (configur\$5) with (specification or instruction or parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:15
S13	2	S12 and interpreter and boot \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:15
S14	382	abstract with (configur\$5) with (specification or instruction or parameter or task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:17
S15	70	S14 and boot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:17
S16	132	S14 and interpret\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:17
S17	199541	(machine or target or client) near4 (dependent or independent or specific)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:18
S18	28	S16 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 14:18
S19	4213	(generic or abstract) near4 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 16:08

S20	335	S17 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 16:08
S21	26	S20 and boot\$3 and interpret\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/28 16:09
S23	305	"preboot execution environment"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:19
S28	12901	(abstract or generic or ((machine or target or client) near4 (independent)))) with (image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:26
S29	11	S28 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:26
S30	1393	"pre-boot" or preboot\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:27
S31	28	S30 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:27
S32	64	S30 and interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:27
S33	44	("5577210" "5732268" "5842011" "5872968" "6209089").PN. OR ("6317826").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/29 15:39
S34	501	S28 and interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:42

S35	14	S28 same interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:42
S36	94	(abstract or generic or ((machine or target or client) near4 (independent))) with (boot \$3 or preboot\$3 or "pre-boot") with (instruction or file or task or specification or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:43
S37	45	S36 and (interpret\$3 or compil\$3 or customiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:43
S38	4	S36 with (convert\$3 or translat\$3 or transform\$5 with interpret\$3 or compil \$3 or customiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:45
S39	126	(abstract or generic or ((machine or target or client) near4 (independent))) with (boot \$3 or preboot\$3 or "pre-boot") with (instruction or file or task or specification or image or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:45
S40	4	S39 with (convert\$3 or translat\$3 or transform\$5 with interpret\$3 or compil \$3 or customiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:46
S41	10	S39 same (convert\$3 or translat\$3 or transform\$5 with interpret\$3 or compil \$3 or customiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:47
S42	9539	((717/168-178) or (713/1,2)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF?	2009/04/29 15:48
S43	44	S39 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 15:48

S44	97710	(abstract or generic or ((machine or target or client) near4 (independent))) with (instruction or file or task or specification or image or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:05
S45	201091	(boot\$3 or preboot\$3 or "pre-boot")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:06
S46	4038	S44 with (convert\$3 or translat\$3 or transform\$5 with interpret\$3 or compil\$3 or customiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:06
S47	399	S46 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:06
S48	9539	((717/168-178) or (713/1,2)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 17:06
S49	26	S47 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:06
S50	58437	S45.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:06
S51	8	S50 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:06
S52	2	("6684327").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 17:10

S53	89831	(abstract or generic or ((machine or target or client) near4 (independent))) with (instruction or file or task or specification or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:12
S54	2637	S53 with (convert\$3 or translat\$3 or transform\$5 with interpret\$3 or compil\$3 or customiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:12
S55	211	S45 and S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:13
S56	2052	pxe or "preboot execution environment"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:13
S57	108	S44 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:13
S58	2	S54 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:13
S59	2071	pxe or "preboot execution environment" or "pre-boot execution environment"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:14
S60	2	S54 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:15
S61	111	S44 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:15

S62	62	S61 and (convert\$3 or transl\$3 or transform\$5 with interpret\$3 or compil\$3 or customiz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:15
S63	55841	(abstract) with (instruction or file or task or specification or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:27
S64	59	S59 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:27
S65	2	("20040236943").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 17:32
S66	2	("20040236934").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 17:32
S67	3	("2004/0236934").URPN.	USPAT	OR	ON	2009/04/29 17:37
S68	3	("7107441").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 17:39
S69	2658	(generat\$3 or construct\$3 or creat\$3) with (generic or abstract) with (specification or task or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:11
S70	172046	(customiz\$5 or transl\$3 or transform\$5 or interpret\$3) with (image or specification or task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:11
S71	1037	S69 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:12

S72	2929	pxe or "preboot execution environment" or "pre-boot execution environment" or "pre-boot" or "preboot"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:12
S73	6	S72 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:13
S74	0	(boot near3 loader) with interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:17
S75	16	(boot near3 loader) same interpreter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:17
S76	2	post near4 pseudocode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:25
S77	43	(customiz\$5 or translats\$3 or transform\$5 or interpret \$3) with (preboot or "pre-boot")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:33
S78	154	(customiz\$5 or translats\$3 or transform\$5 or interpret \$3) with (boot) with (sequence or task or image or specification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:52
S79	20	S78 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 09:52
S80	11	("20030191911" "20040034765" "5832214" "5842024" "5901228" "6804774"). PN. OR ("7356679"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/30 10:18
S81	5	"956691".ap.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/30 10:19

S82	70	microsoft near2 ads	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 12:12
S83	64	sysprep	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 12:12
S84	3	S82 and S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 12:12
S86	42	S83 and customiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 12:13
S87	2	("20070150854").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/30 15:57
S88	11848	((717/106-109,114- 117,136,139-143) or (713/1,2,100)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/03 20:51
S89	154	(customiz\$5 or translat\$3 or transform\$5 or interpret \$3) with (boot) with (sequence or task or image or specification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:52
S90	52	S88 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:52
S91	2658	(generat\$3 or construct\$3 or creat\$3) with (generic or abstract) with (specification or task or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:54
S92	2	S89 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:54

S93	94	(abstract or generic or ((machine or target or client) near4 (independent))) with (boot \$3 or preboot\$3 or "pre-boot") with (instruction or file or task or specification or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:55
S94	36	S88 and S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:55
S95	89	S88 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:55
S96	33	nested near4 (encapsulation or parameterization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:56
S97	0	S96 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:56
S98	357	generate near4 (encapsulation or parameterization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:56
S99	345	(execut\$3 or interpret\$3) near4 (encapsulation or parameterization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:57
S100	30	S98 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:57
S101	10	S98 same S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/03 20:57

5/4/2009 10:03:43 AM

C:\Documents and Settings\jwang4\My Documents\EAST\Workspaces\10787224.wsp